

GF Piping Systems

+GF+

# Engineered Plastic Piping Systems Product Guide



		Application	Technical Data				Valve Options												
	Applications*	Size Range	Pressure Rating	Temperature Range	Joining Technology	Standard Ratings	Valve Options												
							Double Contained Type 546 Manual Ball Valve	Type 530 AquaTap Recirculating Faucet	5 Series Diaphragm Valve	Type 519 Zero-Static Diaphragm Valve	Type 517 Flanged Diaphragm Valve	Type 546 Premium Ball Valve	Type 375 Ball Valve	Tee Valve	Type 561-562 Check Valve	Type 365 Butterfly Valve	Type 567 Butterfly Valve	Type 568 Butterfly Valve	
Pressure Piping Systems	<b>COOL-FIT® ABS</b>	<ul style="list-style-type: none"> <li>Breweries</li> <li>Supermarkets</li> <li>Food Processing</li> <li>Cold Stores</li> </ul>	16-315mm (¾"-12")	Up to 150 PSI	-40°C to 60°C -40°F to 140°F	Solvent Cement ISO 15493 DIN 3441	N/A	N/A	20-63mm (½"-2")	N/A	75-110mm (2½"-4")	16-110mm (⅜"-4")	N/A	N/A	20-110mm (½"-4")	N/A	2"-8"	2"-8"	
	<b>COOL-FIT® ABS Plus</b>	<ul style="list-style-type: none"> <li>Breweries</li> <li>Supermarkets</li> <li>Food Processing</li> <li>Cold Stores</li> </ul>	25-315mm (¾"-12")	Up to 150 PSI	-50°C to 40°C -58°F to 104°F	Solvent Cement ISO 15493 DIN 3441	N/A	N/A	20-63mm (½"-2")	N/A	75-110mm (2½"-4")	16-110mm (⅜"-4")	N/A	N/A	20-110mm (½"-4")	N/A	2"-8"	2"-8"	
	<b>ecoFIT HDPE</b>	<ul style="list-style-type: none"> <li>Chilled Water</li> <li>Process Cooling Water</li> <li>Industrial Water Treatment</li> <li>Bulk Water Distribution</li> </ul>	2"-36" SDR 11/17	Up to 200 PSI	-50°C to 60°C -58°F to 140°F	IR Plus® Fusion Butt Fusion Electrofusion ASTM D3035 FDA CFR 21.177.160 NSF 61	N/A	N/A	20-63mm (½"-2")	N/A	20-160mm (½"-6")	½"-4"	N/A	½"-12"	½"-4"	N/A	2"-24"	2"-8"	
	<b>PROGEF® Standard PP</b>	<ul style="list-style-type: none"> <li>Lab Grade DI Water</li> <li>Process Cooling Water</li> <li>Chemical Delivery</li> <li>Reverse Osmosis</li> </ul>	16-500mm (¾"-20")	Up to 150 PSI	0°C to 80°C 32°F to 176°F	IR Plus® Fusion Butt Fusion Socket Fusion FDA CFR 21.177.1520 USP 25 Class VI NSF 61	N/A	25-75mm (¾"-2½"); 1½"-2½" sanitary	20-63mm (½"-2")	20-63mm (½"-2")	20-160mm (½"-6")	16-110mm (⅜"-4")	N/A	63-160mm (2"-6")	20-110mm (½"-4")	N/A	2"-24"	2"-8"	
	<b>PROGEF® Natural PP</b>	<ul style="list-style-type: none"> <li>Lab Grade DI Water</li> <li>Pharmaceutical Grade Water</li> </ul>	20-90mm (½"-3")	Up to 150 PSI	0°C to 80°C 32°F to 176°F	BCF® Plus Fusion IR Plus® Fusion FDA CFR 21.177.1520 USP 25 Class VI	N/A	25-75mm (¾"-2½"); 1½"-2½" sanitary	20-63mm (½"-2")	20-63mm (½"-2")	20-63mm (½"-2")	N/A	20-63mm (½"-2")	N/A	N/A	N/A	N/A	N/A	N/A
	<b>PPro-Seal™ Natural PP</b>	<ul style="list-style-type: none"> <li>Lab Grade DI Water</li> <li>Reverse Osmosis</li> <li>Chemical Delivery</li> </ul>	½"-3"	Up to 150 PSI	0°C to 80°C 32°F to 176°F	Electrofusion Threaded FDA CFR 21.177.1520 ASTM D 4101 ASTM F 1290 USP 25 Class VI	N/A	N/A	½"-2"	N/A	N/A	N/A	N/A	½"-3"	N/A	N/A	N/A	N/A	N/A
	<b>SYGEF® Plus HP PVDF</b>	<ul style="list-style-type: none"> <li>Semiconductor UPW/HUPW</li> <li>USP Pharmaceutical</li> <li>Water for Injection (WFI)</li> <li>High Purity Acid Distribution</li> </ul>	20-450mm (½"-18")	Up to 232 PSI	-20°C to 140°C -4°F to 284°F	BCF® Plus Fusion IR Plus® Fusion Butt Fusion ASME BPE FDA CFR 21.177.2510 USP 25 Class VI SEMI F57 FM4910	N/A	N/A	20-63mm (½"-2")	20-110mm (½"-4")	75-160mm (2½"-6")	N/A	N/A	N/A	N/A	2"-14"	N/A	N/A	
	<b>SYGEF® Standard PVDF</b>	<ul style="list-style-type: none"> <li>Pharmaceutical Grade DI Water</li> <li>Acid Distribution</li> </ul>	20-315mm (½"-12")	Up to 232 PSI	-20°C to 140°C -4°F to 284°F	BCF® Plus Fusion IR Plus® Fusion Butt Fusion Socket Fusion ASME BPE FDA CFR 21.177.2510 USP 25 Class VI FM4910, UL723, ASTM E84	N/A	25-75mm (¾"-2½"); 1½"-2½" sanitary	20-63mm (½"-2")	N/A	20-160mm (½"-6")	16-110mm (⅜"-4")	N/A	N/A	20-110mm (½"-4")	N/A	2"-12"	2"-8"	
	<b>Harvel LXT®</b>	<ul style="list-style-type: none"> <li>Ultra-pure water systems (UPW, DI, R/O, distilled, USP)</li> </ul>	½"-6"	Up to 420 PSI	23°C to 60°C 73°F to 140°F	Solvent Cement ASTM D1784 ASTM D792 ASTM D638 NSF 61	N/A												
Waste Piping Systems	<b>Fuseal® PP Corrosive Waste</b>	<ul style="list-style-type: none"> <li>Corrosive Waste Drainage</li> <li>Laboratory Waste Drainage</li> <li>Food Processing Waste Drainage</li> </ul>	1½"-12"	**Up to 50 PSI	0°C to 100°C 32°F to 212°F	Electrofusion Mechanical Joint ASTM F 1412 ASTM D 3311 ASTM D 4101 NSF-cw	N/A												
	<b>Fuseal 25/50™ PVDF Corrosive Waste</b>	<ul style="list-style-type: none"> <li>Corrosive Waste Drainage for Return Air Plenums</li> <li>Corrosive Waste Drainage at Elevated Temperatures</li> </ul>	1½"-6"	**Up to 50 PSI	-20°C to 140°C -4°F to 284°F	Electrofusion ASTM F 1673 ASTM D 3311 ASTM E 84 UL 723	N/A												
	<b>Fuseal Squared™ PP Double Containment Corrosive Waste</b>	<ul style="list-style-type: none"> <li>Double Contained Corrosive Waste Drainage</li> </ul>	1½"×4" - 8"×12"	**Up to 50 PSI	0°C to 100°C 32°F to 212°F	Electrofusion ASTM F 1412 ASTM D 3311 ASTM D 4101 IGC 164-2001	N/A												
Containment	<b>Contain-It™ Clear PVC Secondary Containment</b>	<ul style="list-style-type: none"> <li>Chemical Process Line Containment</li> <li>Corrosive Chemical Waste Containment</li> <li>Petroleum Chemical Containment</li> </ul>	4"-6"	Up to 32 PSI	0°C to 60°C 32°F to 140°F	Adhesive Joint ASTM D 1784 ASTM D 3034 UL94 40CFR80	N/A												
	<b>Double-See™ PVC and CPVC Double Containment</b>	<ul style="list-style-type: none"> <li>Water and Waste Water Treatment</li> <li>Chemical Delivery</li> <li>Dosing and Processing</li> </ul>	½"×2" - 6"×10"	Varies by size (primary) Up to 50 psi (secondary)	Varies by pipe	Solvent Cement NSF/ANSI 14 & 61 ASTM D 1784 ASTM D 1785 ASTM D 2467	½"×2" - 2"×4"												

Also See Our Full Line of **Vinyls**

\*Please reference the GF Chemical Resistance Guide at [www.gfpiping.com](http://www.gfpiping.com) \*\*Standard test pressure up to 15 psi. Pressure waste discharge of up to 50 psi may be allowable.



# GF Piping Systems

## GF Piping Systems

9271 Jeronimo Road, Irvine, CA 92618

Tel. (714) 731-8800, Toll Free (800) 854-4090, Fax (714) 731-6201

e-mail: [us.ps@georgfischer.com](mailto:us.ps@georgfischer.com)

[www.gfpiping.com](http://www.gfpiping.com)

**Argentina / Southern South America**  
Georg Fischer Central Plastics  
Sudamérica S.R.L.  
Buenos Aires, Argentina  
Phone +5411 4512 02 90  
[gfcentral.ps.ar@georgfischer.com](mailto:gfcentral.ps.ar@georgfischer.com)

**Australia**  
George Fischer Pty Ltd  
Riverwood NSW 2210 Australia  
Phone +61(0)2 9502 8000  
[australia.ps@georgfischer.com](mailto:australia.ps@georgfischer.com)  
[www.georgfischer.com.au](http://www.georgfischer.com.au)

**Austria**  
Georg Fischer  
Rohrleitungssysteme GmbH  
3130 Herzogenburg  
Phone +43(0)2782 856 43-0  
[austria.ps@georgfischer.com](mailto:austria.ps@georgfischer.com)  
[www.georgfischer.at](http://www.georgfischer.at)

**Belgium / Luxembourg**  
Georg Fischer NV/SA  
1070 Bruxelles/Brüssel  
Phone +32(0)2 556 40 20  
[be.ps@georgfischer.com](mailto:be.ps@georgfischer.com)  
[www.georgfischer.be](http://www.georgfischer.be)

**Brazil**  
Georg Fischer Sist. de Tub. Ltda.  
04795-100 São Paulo  
Phone +55(0)11 5525 1311  
[br.ps@georgfischer.com](mailto:br.ps@georgfischer.com)  
[www.georgfischer.com.br](http://www.georgfischer.com.br)

**Canada**  
Georg Fischer Piping Systems Ltd  
Mississauga, ON L5T 2B2  
Phone +1(905)670 8005  
Fax +1(905)670 8513  
[ca.ps@georgfischer.com](mailto:ca.ps@georgfischer.com)  
[www.georgfischer.ca](http://www.georgfischer.ca)

**China**  
Georg Fischer Piping Systems Ltd  
Shanghai 201319  
Phone +86(0)21 3899 3899  
[china.ps@georgfischer.com](mailto:china.ps@georgfischer.com)  
[www.georgfischer.cn](http://www.georgfischer.cn)

**Denmark / Iceland**  
Georg Fischer A/S  
2630 Taastrup  
Phone +45 (0)70 22 19 75  
[info.dk.ps@georgfischer.com](mailto:info.dk.ps@georgfischer.com)  
[www.georgfischer.dk](http://www.georgfischer.dk)

**Finland**  
Georg Fischer AB  
01510 VANTAA  
Phone +358 (0)9 586 58 25  
Fax +358 (0)9 586 58 29  
[info.fi.ps@georgfischer.com](mailto:info.fi.ps@georgfischer.com)  
[www.georgfischer.fi](http://www.georgfischer.fi)

**France**  
Georg Fischer SAS  
95932 Roissy Charles de Gaulle Cedex  
Phone +33(0)1 41 84 68 84  
[fr.ps@georgfischer.com](mailto:fr.ps@georgfischer.com)  
[www.georgfischer.fr](http://www.georgfischer.fr)

**Germany**  
Georg Fischer GmbH  
73095 Albershausen  
Phone +49(0)7161 302-0  
[info.de.ps@georgfischer.com](mailto:info.de.ps@georgfischer.com)  
[www.georgfischer.de](http://www.georgfischer.de)

**India**  
Georg Fischer Piping Systems Ltd  
400 076 Mumbai  
Phone +91 224007 2001  
[in.ps@georgfischer.com](mailto:in.ps@georgfischer.com)  
[www.georgfischer.in](http://www.georgfischer.in)

**Italy**  
Georg Fischer S.p.A.  
20063 Cernusco S/N (MI)  
Phone +3902 921 861  
[it.ps@georgfischer.com](mailto:it.ps@georgfischer.com)  
[www.georgfischer.it](http://www.georgfischer.it)

**Japan**  
Georg Fischer Ltd  
556-0011 Osaka.  
Phone +81(0)6 6635 2691  
[jp.ps@georgfischer.com](mailto:jp.ps@georgfischer.com)  
[www.georgfischer.jp](http://www.georgfischer.jp)

**Korea**  
Georg Fischer Piping Systems  
271-3 Seohyeon-dong Bundang-gu  
Seongnam-si, Gyeonggi-do  
Seoul 463-824  
Phone +82 31 8017 1450  
Fax +82 31 8017 1454  
[kor.ps@georgfischer.com](mailto:kor.ps@georgfischer.com)  
[www.georgfischer.kr](http://www.georgfischer.kr)

**Malaysia**  
George Fischer (M) Sdn. Bhd.  
40460 Shah Alam, Selangor Darul Ehsan  
Phone +60 (0)3 5122 5585  
[my.ps@georgfischer.com](mailto:my.ps@georgfischer.com)  
[www.georgfischer.my](http://www.georgfischer.my)

**Mexico / Northern Latin America**  
Georg Fischer S.A. de C.V.  
Apodaca, Nuevo Leon  
CP66636 Mexico  
Phone +52 (81)1340 8586  
Fax +52 (81)1522 8906  
[mx.ps@georgfischer.com](mailto:mx.ps@georgfischer.com)  
[www.georgfischer.mx](http://www.georgfischer.mx)

**Middle East**  
Georg Fischer  
Piping Systems (Switzerland) Ltd.  
Dubai, United Arab Emirates  
Phone +971 4 289 49 60  
[gcc.ps@georgfischer.com](mailto:gcc.ps@georgfischer.com)  
[www.export.georgfischer.com](http://www.export.georgfischer.com)

**Netherlands**  
Georg Fischer N.V.  
8161 PA Epe  
Phone +31(0)578 678 222  
[nl.ps@georgfischer.com](mailto:nl.ps@georgfischer.com)  
[www.georgfischer.nl](http://www.georgfischer.nl)

**New Zealand**  
Georg Fischer Ltd  
13 Jupiter Grove, Upper Hutt 5018  
PO Box 40399, Upper Hutt 5140  
Phone +64(0)4 527 9813  
[nz.ps@georgfischer.com](mailto:nz.ps@georgfischer.com)  
[www.gfps.com/nz](http://www.gfps.com/nz)

**Norway**  
Georg Fischer AS  
1351 Rud  
Phone +47(0)67 18 29 00  
[no.ps@georgfischer.com](mailto:no.ps@georgfischer.com)  
[www.georgfischer.no](http://www.georgfischer.no)

**Poland**  
Georg Fischer Sp. z o.o.  
05-090 Sekocin Nowy  
Phone +48(0)22 31 31 0 50  
[poland.ps@georgfischer.com](mailto:poland.ps@georgfischer.com)  
[www.georgfischer.pl](http://www.georgfischer.pl)

**Romania**  
Georg Fischer  
Piping Systems (Switzerland) Ltd.  
020257 Bucharest - Sector 2  
Phone +40(0)21 230 53 80  
[ro.ps@georgfischer.com](mailto:ro.ps@georgfischer.com)  
[www.export.georgfischer.com](http://www.export.georgfischer.com)

**Russia**  
Georg Fischer  
Piping Systems (Switzerland) Ltd.  
Moscow 125047  
Tel. +7 495 258 60 80  
[ru.ps@georgfischer.com](mailto:ru.ps@georgfischer.com)  
[www.georgfischer.ru](http://www.georgfischer.ru)

**Singapore**  
Georg Fischer Pte Ltd  
11 Tampines Street 92, #04-01/07  
528 872 Singapore  
Phone +65 6747 0611  
[sgp.ps@georgfischer.com](mailto:sgp.ps@georgfischer.com)  
[www.sg.piping.georgfischer.com](http://www.sg.piping.georgfischer.com)

**Spain / Portugal**  
Georg Fischer S.A.  
28046 Madrid  
Phone +34(0)91 781 98 90  
[es.ps@georgfischer.com](mailto:es.ps@georgfischer.com)  
[www.georgfischer.es](http://www.georgfischer.es)

**Sweden**  
Georg Fischer AB  
117 43 Stockholm  
Phone +46(0)8 506 775 00  
[info.se.ps@georgfischer.com](mailto:info.se.ps@georgfischer.com)  
[www.georgfischer.se](http://www.georgfischer.se)

**Switzerland**  
Georg Fischer  
Rohrleitungssysteme (Schweiz) AG  
8201 Schaffhausen  
Phone +41(0)52 631 30 26  
[ch.ps@georgfischer.com](mailto:ch.ps@georgfischer.com)  
[www.piping.georgfischer.ch](http://www.piping.georgfischer.ch)

**Taiwan**  
Georg Fischer Co., Ltd.  
San Chung Dist., New Taipei City  
Phone +886 2 8512 2822  
Fax +886 2 8512 2823  
[www.georgfischer.tw](http://www.georgfischer.tw)

**United Kingdom / Ireland**  
George Fischer Sales Limited  
Coventry, CV2 2ST  
Phone +44(0)2476 535 535  
[uk.ps@georgfischer.com](mailto:uk.ps@georgfischer.com)  
[www.georgfischer.co.uk](http://www.georgfischer.co.uk)

**USA / Caribbean**  
Georg Fischer LLC  
Irvine, CA 92618-1904  
Phone +1(714) 731 88 00  
Toll Free 800 854 40 90  
[us.ps@georgfischer.com](mailto:us.ps@georgfischer.com)  
[www.gfpiping.com](http://www.gfpiping.com)

**Vietnam**  
Georg Fischer Pte Ltd  
136E Tran Vu, Ba Dinh District, Hanoi  
Phone +84 4 3715 3290  
Fax +84 4 3715 3285

**International**  
Georg Fischer  
Piping Systems (Switzerland) Ltd.  
8201 Schaffhausen/Switzerland  
Phone +41(0)52 631 30 03  
Fax +41(0)52 631 28 93  
[info.export@georgfischer.com](mailto:info.export@georgfischer.com)  
[www.export.georgfischer.com](http://www.export.georgfischer.com)

[www.gfps.com](http://www.gfps.com)

The technical data is not binding. They neither constitute expressly warranted characteristics nor guaranteed properties nor a guaranteed durability. They are subject to modification. Our General Terms of Sale apply.

